

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1047	(702/182).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 09:12
S2	729	(702/183).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 09:17
S3	63	S1 and (request\$6 with performanc\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 07:00
S4	8	FLYNN-DAVID	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 09:23
S5	36	FLYNN-DAVID-WALTER	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 09:23
S6	708	arm.asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 09:23
S7	281	S6 and perform\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 09:24
S8	99	S6 and perform\$8 and request\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 09:24
S9	46	S6 and perform\$8 and request\$6 and map\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 09:42

S10	40	S6 and performance\$1 and request\$6 and map\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 09:41
S11	49	S6 and performance\$1 and (request\$6 with control\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 09:46
S12	9	S5 and performance\$1 and request\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 09:41
S13	7	S5 and perform\$8 and request\$6 and map\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 09:42
S14	8	S5 and performance\$1 and (request\$6 with control\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 13:15
S15	63	S1 and (request\$6 with performanc\$5) and performance\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 10:55
S16	25	S2 and (request\$6 with performanc\$5) and performance\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 10:55
S17	2564	performance\$1 and ((request\$6 with control\$5) same (map or maps or mapping\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 13:16
S18	870	performance\$1 and ((request\$6 with control\$5) same (map or maps or mapping\$1)) and ((processing or processor\$1 or microprocessor\$4 or (micro adj process\$4)) with performance\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 13:17
S19	458	performance\$1 and ((request\$6 with control\$5) with (map or maps or mapping\$1)) and ((processing or processor\$1 or microprocessor\$4 or (micro adj process\$4)) with performance\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 13:18

S20	13	performance\$1 and ((request\$6 with control\$5) with (map or maps or mapping\$1) with performance\$1) and ((processing or processor\$1 or microprocessor\$4 or (micro adj process\$4))) with performance\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 13:18
S21	18	performance\$1 and ((request\$6 with control\$5) with (map or maps or mapping\$1) with performance\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 14:20
S22	194	performance\$1 and ((request\$6 with control\$5) same (map or maps or mapping\$1) same performance\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 13:42
S23	1715	(adjust\$5 with clock\$1 with (cpu\$1 or computer\$1 or microprocess\$4 or (micro adj process\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 13:44
S24	631	(adjust\$5 with clock\$1 with (cpu\$1 or computer\$1 or microprocess\$4 or (micro adj process\$4))) and performance\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 13:44
S25	79	(adjust\$5 with clock\$1 with (cpu\$1 or computer\$1 or microprocess\$4 or (micro adj process\$4))) and (performance\$1 with level\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 13:45
S26	1751	(performance near control\$4) and (voltage near2 control\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 14:09
S27	591	(performance near control\$4) and (voltage near2 control\$4) and clock\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 14:09
S28	152	(performance near control\$4) and (voltage near2 control\$4) and clock\$4 and request\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 14:09
S29	6109	performance\$1 and (request\$6 with (map or maps or mapping\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 14:24

S30	1685	performance\$1 and (request\$6 with (map or maps or mapping\$1 )) and ((cpu\$1 or computer\$1 or microprocess\$4 or (micro adj process\$4)) with performance\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 14:25
S31	97	performance\$1 and (request\$6 with (map or maps or mapping\$1 )) and ((cpu\$1 or computer\$1 or microprocess\$4 or (micro adj process\$4)) with performance\$1) and (voltage with control\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 14:29
S32	121	performance\$1 and (request\$6 with (map or maps or mapping\$1 )) and ((cpu\$1 or processor\$1 or (data adj process\$4) or computer\$1 or microprocess\$4 or (micro adj process\$4)) with performance\$1) and (voltage with control\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 14:53
S33	1093	performance\$1 and (request\$6 with (map or maps or mapping\$1 )) and ((cpu\$1 or processor\$1 or (data adj process\$4) or computer\$1 or microprocess\$4 or (micro adj process\$4)) with performance\$1) and ((voltage with control\$4) or clock\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 14:40
S34	4	performance\$1 and (request\$6 with (map or maps or mapping\$1 )) and ((cpu\$1 or processor\$1 or (data adj process\$4) or computer\$1 or microprocess\$4 or (micro adj process\$4)) with performance\$1) and (voltage with control\$4) and (thermometer\$1 with (code\$1 or coding\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 14:46
S35	4	performance\$1 and (request\$6 with (map or maps or mapping\$1 )) and ((cpu\$1 or processor\$1 or (data adj process\$4) or computer\$1 or microprocess\$4 or (micro adj process\$4)) with performance\$1) and (thermometer\$1 with (code\$1 or coding\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 14:47

S36	6	performance\$1 and (request\$6 with (map or maps or mapping\$1 )) and ((cpu\$1 or processor\$1 or (data adj process\$4) or computer\$1 or microprocess\$4 or (micro adj process\$4)) with performance\$1) and (temperature\$1 with (code\$1 or coding\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 14:47
S37	97	transmeta.asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 14:49
S38	33	S37 and performance\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 14:49
S39	9	performance\$1 and (request\$6 with (map or maps or mapping\$1 )) and ((cpu\$1 or processor\$1 or (data adj process\$4) or computer\$1 or microprocess\$4 or (micro adj process\$4)) with performance\$1) and (voltage with control\$4) and (request\$5 with performance\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 14:58
S40	706	performance\$1 and (request\$6 with (map or maps or mapping\$1 )) and ((cpu\$1 or processor\$1 or (data adj process\$4) or computer\$1 or microprocess\$4 or (micro adj process\$4)) with performance\$1) and (((voltage or power) with (control\$4 or manage\$1 or managing or management\$1)) or ((power or energy) with (consume\$2 or consuming or consumption\$1))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 15:02
S41	155	performance\$1 and (request\$6 with (map or maps or mapping\$1 )) and ((cpu\$1 or processor\$1 or (data adj process\$4) or computer\$1 or microprocess\$4 or (micro adj process\$4)) with performance\$1) and (((voltage or power) with (control\$4 or manage\$1 or managing or management\$1)) or ((power or energy) with (consume\$2 or consuming or consumption\$1)))) and (performance near (goal\$1 or level\$1 or requirement\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 15:13

S42	321	performance\$1 and (request\$6 with performance\$1) and ((cpu\$1 or processor\$1 or (data adj process\$4) or computer\$1 or microprocess\$4 or (micro adj process\$4)) with performance\$1) and (((voltage or power) with (control\$4 or manage\$1 or managing or management\$1)) or ((power or energy) with (consume\$2 or consuming or consumption\$1))) and (performance near (goal\$1 or level\$1 or requirement\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 15:14
S43	195	performance\$1 and (request\$6 with performance\$1) and ((cpu\$1 or processor\$1 or (data adj process\$4) or computer\$1 or microprocess\$4 or (micro adj process\$4)) with performance\$1) and (((voltage or power) with (control\$4 or manage\$1 or managing or management\$1)) or ((power or energy) with (consume\$2 or consuming or consumption\$1))) and (performance near (goal\$1 or level\$1 or requirement\$1)) and (map or maps or mapping\$1 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 15:14
S44	142	performance\$1 and (request\$6 with performance\$1) and ((cpu\$1 or processor\$1 or (data adj process\$4) or computer\$1 or microprocess\$4 or (micro adj process\$4)) with performance\$1) and (((voltage or power) with (control\$4 or manage\$1 or managing or management\$1)) or ((power or energy) with (consume\$2 or consuming or consumption\$1))) and (performance near (goal\$1 or level\$1 or requirement\$1)) and ((map or maps or mapping\$1 ) with (request\$5 or performance\$1 or control\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 15:38
S45	39856	(performance\$1 with (control\$5 or increas\$5 or decreas\$5)) and ((cpu\$1 or processor\$1 or (data adj process\$4) or computer\$1 or microprocess\$4 or (micro adj process\$4)) with performance\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 15:36

S46	142	(performance\$1 (control\$5 or increas\$5 or decreas\$5)) and (request\$6 with performance\$1) and ((cpu\$1 or processor\$1 or (data adj process\$4) or computer\$1 or microprocess\$4 or (micro adj process\$4)) with performance\$1) and (((voltage or power) with (control\$4 or manage\$1 or managing or management\$1)) or ((power or energy) with (consume\$2 or consuming or consumption\$1))) and (performance near (goal\$1 or level\$1 or requirement\$1)) and ((map or maps or mapping\$1 ) with (request\$5 or performance\$1 or control\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 15:40
S47	132	(performance\$1 with (control\$5 or increas\$5 or decreas\$5)) and (request\$6 with performance\$1) and ((cpu\$1 or processor\$1 or (data adj process\$4) or computer\$1 or microprocess\$4 or (micro adj process\$4)) with performance\$1) and (((voltage or power) with (control\$4 or manage\$1 or managing or management\$1)) or ((power or energy) with (consume\$2 or consuming or consumption\$1))) and (performance near (goal\$1 or level\$1 or requirement\$1)) and ((map or maps or mapping\$1 ) with (request\$5 or performance\$1 or control\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 15:44
S48	313	(performance\$1 with (control\$5 or increas\$5 or decreas\$5)) and (request\$6 with performance\$1) and ((cpu\$1 or processor\$1 or (data adj process\$4) or computer\$1 or microprocess\$4 or (micro adj process\$4)) with performance\$1) and (performance near (goal\$1 or level\$1 or requirement\$1)) and ((map or maps or mapping\$1 ) with (request\$5 or performance\$1 or control\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 15:45

S49	44	(performance\$1 with (control\$5 or increas\$5 or decreas\$5)) and (request\$6 with (performance near (goal\$1 or level\$1 or requirement\$1))) and ((cpu\$1 or processor\$1 or (data adj process\$4) or computer\$1 or microprocess\$4 or (micro adj process\$4)) with performance\$1) and (performance near (goal\$1 or level\$1 or requirement\$1)) and ((map or maps or mapping\$1 ) with (request\$5 or performance\$1 or control\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 15:54
S50	45	(performance\$1 with (control\$5 or increas\$5 or decreas\$5)) and (request\$6 with (performance near (goal\$1 or level\$1 or requirement\$1 or change\$1 or changing))) and ((cpu\$1 or processor\$1 or (data adj process\$4) or computer\$1 or microprocess\$4 or (micro adj process\$4)) with performance\$1) and (performance near (goal\$1 or level\$1 or requirement\$1)) and ((map or maps or mapping\$1 ) with (request\$5 or performance\$1 or control\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 15:55
S51	76	(performance\$1 with (control\$5 or increas\$5 or decreas\$5)) and (request\$6 with (performance with (goal\$1 or level\$1 or requirement\$1 or change\$1 or changing))) and ((cpu\$1 or processor\$1 or (data adj process\$4) or computer\$1 or microprocess\$4 or (micro adj process\$4)) with performance\$1) and (performance near (goal\$1 or level\$1 or requirement\$1)) and ((map or maps or mapping\$1 ) with (request\$5 or performance\$1 or control\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 15:56



S52	83	(performance\$1 with (control\$5 or increas\$5 or decreas\$5)) and (request\$6 with (performance with (goal\$1 or level\$1 or requirement\$1 or change\$1 or changing))) and ((cpu\$1 or processor\$1 or (data adj process\$4) or computer\$1 or microprocess\$4 or (micro adj process\$4)) with performance\$1) and (performance near (goal\$1 or level\$1 or requirement\$1 or change\$1 or changing)) and ((map or maps or mapping\$1 ) with (request\$5 or performance\$1 or control\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 15:56
S53	122	(performance\$1 with (control\$5 or increas\$5 or decreas\$5)) and (request\$6 with (performance with (goal\$1 or level\$1 or requirement\$1 or change\$1 or changing))) and ((cpu\$1 or processor\$1 or (data adj process\$4) or computer\$1 or microprocess\$4 or (micro adj process\$4)) with performance\$1) and (performance with (goal\$1 or level\$1 or requirement\$1 or change\$1 or changing)) and ((map or maps or mapping\$1 ) with (request\$5 or performance\$1 or control\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 06:46
S54	36	(performance\$1 with (control\$5 or increas\$5 or decreas\$5)) and (request\$6 with (performance with (state\$1))) and ((cpu\$1 or processor\$1 or (data adj process\$4) or computer\$1 or microprocess\$4 or (micro adj process\$4)) with performance\$1) and (performance with (state\$1)) and ((map or maps or mapping\$1 ) with (request\$5 or performance\$1 or control\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 16:38
S55	379	(advanced near risc).asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 16:31
S56	26	S55 and (performance\$1 with (control\$5 or increas\$5 or decreas\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 16:32

S57	26	S55 and (performance\$1 with (control\$5 or increas\$5 or decreas\$5)) and performance\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 16:32
S58	18	(S5 S6 S55) and performance\$1 and linear\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 16:50
S59	66	(performance\$1 with (control\$5 or increas\$5 or decreas\$5)) and (desire\$6 with (performance with (goal\$1 or level\$1 or requirement\$1 or change\$1 or changing or state\$1))) and ((cpu\$1 or processor\$1 or (data adj process\$4) or computer\$1 or microprocess\$4 or (micro adj process\$4)) with performance\$1) and (performance with (goal\$1 or level\$1 or requirement\$1 or change\$1 or changing or state\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 16:55
S60	14	(performance\$1 with (control\$5 or increas\$5 or decreas\$5)) and (desire\$6 with (performance with (goal\$1 or level\$1 or requirement\$1 or change\$1 or changing or state\$1))) and ((cpu\$1 or processor\$1 or (data adj process\$4) or computer\$1 or microprocess\$4 or (micro adj process\$4)) with performance\$1) and (performance with (goal\$1 or level\$1 or requirement\$1 or change\$1 or changing or state\$1)) and linear\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 16:57
S61	4	(performance\$1 with (control\$5 or increas\$5 or decreas\$5)) and (desire\$6 with (performance with (goal\$1 or level\$1 or requirement\$1 or change\$1 or changing or state\$1))) and ((cpu\$1 or processor\$1 or (data adj process\$4) or computer\$1 or microprocess\$4 or (micro adj process\$4)) with performance\$1) and (performance with (goal\$1 or level\$1 or requirement\$1 or change\$1 or changing or state\$1)) and (linear\$4 near2 (code\$2 or coding))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 17:02

S62	4	(performance\$1 with (control\$5 or increas\$5 or decreas\$5)) and (desire\$6 with (performance with (goal\$1 or level\$1 or requirement\$1 or change\$1 or changing or state\$1))) and (performance with (goal\$1 or level\$1 or requirement\$1 or change\$1 or changing or state\$1)) and (linear\$4 near2 (code\$2 or coding))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 16:59
S63	4	(performance\$1 with (control\$5 or increas\$5 or decreas\$5)) and (desire\$6 with (performance with (goal\$1 or level\$1 or requirement\$1 or change\$1 or changing or state\$1))) and (performance with (goal\$1 or level\$1 or requirement\$1 or change\$1 or changing or state\$1)) and (gray\$4 near2 (code\$2 or coding))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 17:02
S64	31	(performance\$1 with (control\$5 or increas\$5 or decreas\$5)) and (desire\$6 with (performance with (goal\$1 or level\$1 or requirement\$1 or change\$1 or changing or state\$1))) and (performance with (goal\$1 or level\$1 or requirement\$1 or change\$1 or changing or state\$1)) and (grey\$4 near2 (code\$2 or coding))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 06:52
S65	2	(performance\$1 with (control\$5 or increas\$5 or decreas\$5)) and (set\$6 with (performance with (goal\$1 or level\$1 or requirement\$1 or change\$1 or changing or state\$1))) and (performance with (goal\$1 or level\$1 or requirement\$1 or change\$1 or changing or state\$1)) and (grey\$4 near2 (code\$2 or coding))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 17:02

S66	48	(performance\$1 with (control\$5 or increas\$5 or decreas\$5)) and (set\$6 with (performance with (goal\$1 or level\$1 or requirement\$1 or change\$1 or changing or state\$1))) and (performance with (goal\$1 or level\$1 or requirement\$1 or change\$1 or changing or state\$1)) and (gray\$4 near2 (code\$2 or coding))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 17:03
S67	64	(performance\$1 with (control\$5 or increas\$5 or decreas\$5)) and (set\$6 with (performance with (goal\$1 or level\$1 or requirement\$1 or change\$1 or changing or state\$1))) and ((cpu\$1 or processor\$1 or (data adj process\$4) or computer\$1 or microprocess\$4 or (micro adj process\$4)) with performance\$1) and (performance with (goal\$1 or level\$1 or requirement\$1 or change\$1 or changing or state\$1)) and (linear\$4 near2 (code\$2 or coding))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 06:47
S68	1505	(performance\$1 with ( (data adj process\$5) or processor\$1 or cpu or pc or microprocess\$4 or (micro adj process\$4))) and ((map or maps or mapping) with (request\$5 or desired))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 08:46
S69	949	S68 and (performance\$1 with (control\$5 or increas\$5 or decreas\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 06:57
S70	576	S68 and (performance\$1 with (control\$5 or increas\$5 or decreas\$5)) and (clock\$1 or voltage\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 06:56
S71	370	S68 and (performance\$1 with (control\$5 or increas\$5 or decreas\$5)) and ((clock\$1 or voltage\$1) with (control\$5 or increas\$5 or decreas\$5 or set\$1 or setting or adjust\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 06:57

S72	2201	(performance\$1 with ( (data adj process\$5) or processor\$1 or cpu or pc or microprocess\$4 or (micro adj process\$4 or computer\$1))) and ((map or maps or mapping) with (request\$5 or desired))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 13:25
S73	1264	S72 and (performance\$1 with (control\$5 or increas\$5 or decreas\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 06:57
S74	409	S72 and (performance\$1 with (control\$5 or increas\$5 or decreas\$5)) and ((clock\$1 or voltage\$1) with (control\$5 or increas\$5 or decreas\$5 or set\$1 or setting or adjust\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 06:58
S75	72	S72 and (performance\$1 with (control\$5 or increas\$5 or decreas\$5)) and ((clock\$1 or voltage\$1) with (control\$5 or increas\$5 or decreas\$5 or set\$1 or setting or adjust\$5)) and (performance\$1 with (request\$5 or desired))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 08:14
S76	1047	(702/182).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 07:00
S77	63	S76 and ((request\$6 or desired) with performanc\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 07:26
S78	19	S76 and ((request\$6 or desired) with performanc\$5) and (map or maps or mapping ot mapped)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 07:10
S79	12	S76 and ((request\$6 or desired) with performanc\$5) and ((map or maps or mapping or mapped) with (request\$6 or desired or performance\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 07:15
S80	729	(702/183).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 07:18

S81	7	S80 and ((request\$6 or desired) with performanc\$5) and ((map or maps or mapping or mapped) with (request\$6 or desired or performance\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 07:19
S82	409	(702/186).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 07:18
S83	2	S82 and ((request\$6 or desired) with performanc\$5) and ((map or maps or mapping or mapped) with (request\$6 or desired or performance\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 07:19
S84	317	S76 and (request\$6 or desired)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 07:26
S85	8	S76 and ((request\$6 or desired) with map\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 07:26
S86	1966	(performance\$1 with ( (data adj process\$5) or processor\$1 or cpu or pc or microprocess\$4 or (micro adj process\$4 or computer\$1))) and ((map or maps or mapping) with (performance or desired))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 08:14
S87	55	S86 and (performance\$1 with (control\$5 or increas\$5 or decreas\$5)) and ((clock\$1 or voltage\$1) with (control\$5 or increas\$5 or decreas\$5 or set\$1 or setting or adjust\$5)) and (performance\$1 with (request\$5 or desired))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 08:29
S88	1194	(performance\$1 with processing) and ((map or maps or mapping) with (request\$5 or desired))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 08:28
S89	44	S88 and (performance\$1 with (control\$5 or increas\$5 or decreas\$5)) and ((clock\$1 or voltage\$1) with (control\$5 or increas\$5 or decreas\$5 or set\$1 or setting or adjust\$5)) and (performance\$1 with (request\$5 or desired))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 08:32

S90	10724	(performance\$1 with ( (data adj process\$5) or processor\$1 or cpu or pc or microprocess\$4 or (micro adj process\$4))) and linear\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 08:47
S91	2041	(performance\$1 with ( (data adj process\$5) or processor\$1 or cpu or pc or microprocess\$4 or (micro adj process\$4))) and linear\$2 and ((set or setting or set\$1) with performance\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 08:48
S92	322	(performance\$1 with ( (data adj process\$5) or processor\$1 or cpu or pc or microprocess\$4 or (micro adj process\$4))) and (linear\$2 with performance\$1) and ((set or setting or set\$1) with performance\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 08:49
S93	127	(performance\$1 with ( (data adj process\$5) or processor\$1 or cpu or pc or microprocess\$4 or (micro adj process\$4))) and (linear\$2 with performance\$1) and ((set or setting or set\$1) with performance\$1) and ((clock\$1 or voltage\$1) with (control\$5 or increas\$5 or decreas\$5 or set\$1 or setting or adjust\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 08:50
S94	238	(performance\$1 with ( (data adj process\$5) or processor\$1 or cpu or pc or microprocess\$4 or (micro adj process\$4))) and (linear\$2 with performance\$1) and ((set or setting or set\$1) with (performance\$1 or clock\$1 or voltage\$1)) and ((clock\$1 or voltage\$1) with (control\$5 or increas\$5 or decreas\$5 or set\$1 or setting or adjust\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 09:31
S95	152	(performance\$1 with ( (data adj process\$5) or processor\$1 or cpu or pc or microprocess\$4 or (micro adj process\$4))) and (linear\$2 near ( related or relationship\$1)) and ((set or setting or set\$1) with (performance\$1 or clock\$1 or voltage\$1)) and ((clock\$1 or voltage\$1) with (control\$5 or increas\$5 or decreas\$5 or set\$1 or setting or adjust\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 09:09

S96	357	S95 S94	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 09:08
S97	15	(performance\$1 with ( (data adj process\$5) or processor\$1 or cpu or pc or microprocess\$4 or (micro adj process\$4))) and (linear\$2 with (performance\$1 near (level\$1 or value\$1 or data))) and ((set or setting or set\$1) with (performance\$1 or clock\$1 or voltage\$1)) and ((clock\$1 or voltage\$1) with (control\$5 or increas\$5 or decreas\$5 or set\$1 or setting or adjust\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 09:36
S98	25	(performance\$1 with ( (data adj process\$5) or processor\$1 or cpu or pc or microprocess\$4 or (micro adj process\$4))) and (linear\$2 with (performance\$1 near (level\$1 or value\$1 or data))) and ((set or setting or set\$1) with (performance\$1 or clock\$1 or voltage\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 10:33
S99	35	(performance\$1 with ( (data adj process\$5) or processor\$1 or cpu or pc or microprocess\$4 or (micro adj process\$4))) and (linear\$2 with (performance\$1 near (level\$1 or value\$1 or data))) and (performance\$1 or clock\$1 or voltage\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 10:53
S10 0	33	S76 and (performance\$1 with ( (data adj process\$5) or processor\$1 or cpu or pc or microprocess\$4 or (micro adj process\$4))) and ((set or setting or set\$1) with (performance\$1 near (level\$1 or value\$1 or data))) and (performance\$1 or clock\$1 or voltage\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 10:55
S10 1	49	S76 and (performance\$1 with ( (data adj process\$5) or processor\$1 or cpu or pc or microprocess\$4 or (micro adj process\$4))) and ((set or setting or set\$1) with ((performance\$1 near (level\$1 or value\$1 or data)) or (clock\$1 or voltage\$1)) ) and (performance\$1 or clock\$1 or voltage\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 10:56



S10 2	56	S76 and (performance\$1 with ( (data adj process\$5) or processor\$1 or cpu or pc or microprocess\$4 or (micro adj process\$4))) and ((set or setting or set\$1 or adjust\$6) with ((performance\$1 near (level\$1 or value\$1 or data)) or (clock\$1 or voltage\$1)) ) and (performance\$1 or clock\$1 or voltage\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 12:19
S10 3	77	S76 and (performance\$1 with ( (data adj process\$5) or processor\$1 or cpu or pc or computer\$1 or microprocess\$4 or (micro adj process\$4))) and ((set or setting or set\$1 or adjust\$6) with ((performance\$1 near (level\$1 or value\$1 or data)) or (clock\$1 or voltage\$1)) ) and (performance\$1 or clock\$1 or voltage\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 13:24
S10 4	1	S76 and (binary near fraction\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 13:24
S10 5	0	S80 and (binary near fraction\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 13:25
S10 6	0	S82 and (binary near fraction\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 13:25
S10 7	69	(performance\$1 with ( (data adj process\$5) or processor\$1 or cpu or pc or microprocess\$4 or (micro adj process\$4 or computer\$1))) and (binary near fraction\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 13:26
S10 8	5	(performance\$1 with ( (data adj process\$5) or processor\$1 or cpu or pc or microprocess\$4 or (micro adj process\$4 or computer\$1))) and ((binary near fraction\$1) with (max or maximum\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 13:28

S10 9	5	(performance\$1 with ( (data adj process\$5) or processor\$1 or process\$5 or cpu or pc or microprocess\$4 or (micro adj process\$4 or computer\$1))) and ((binary near fraction\$1) with (max or maximum\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 13:29
S11 0	10	"5692201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 14:34
S11 1	22	"6016548"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 14:35
S11 2	27	"5655127"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 14:35
S11 3	2	"6275948"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 14:35
S11 4	11	"6065122"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 14:35
S11 5	25	"5812860"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 14:35
S11 6	16	"6173409"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 14:36
S11 7	12	"6182232"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 14:36
S11 8	4	"6073244"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 14:36

S11 9	23	"5627412"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 14:36
S12 0	0	I53-I62	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 14:37
S12 1	138	(S110 S111 S112 S113 S114 S115 S116 S117 S118 S119)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 14:38
S12 2	81	S121 and performance\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 14:38
S12 3	46	S121 and performance\$1 and (request\$5 or desired)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 14:40
S12 4	9	S121 and performance\$1 and (request\$5 or desired) and linear\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 14:39
S12 5	4	S121 and performance\$1 and (request\$5 or desired) and (map\$1 or mapping or mapped)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 14:44
S12 6	2	"20020140467"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 14:44